


MODEL	STYLE	DISCRIPTION	PRICE
BN-802-RF-A WARMLIGHT NEW!		RESOLUTION : 2mp AHD CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : 4in1,Metal,Dwdr,ip66	+30
			3.979.000 T
BN-802-TK23 WARMLIGHT NEW!		RESOLUTION : 2mp AHD SENSOR : 2053 HS LENS : 3.6MM LED DISTANCE: 40M OTHER : 4in1,plastic case,Dwdr,warmlight,starlight	+25
			4.071.000 T
BN-802V		RESOLUTION : 2mp AHD CHIPSET : FULLHAN LENS : 2/8-12MM VARIFOCAL IR DISTANCE: 60M OTHER : VARIFOCAL	+10
			2.773.000 T
BN-805-CH65-A WARMLIGHT		RESOLUTION : 5mp/8mp CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : 4in1,OSD MENU , Dwdr,Internal audio(coaxial)	+25
			5.321.000 T
DN-842-X33-E WARMLIGHT		RESOLUTION : 2mp AHD CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 30M OTHER : 4in1,PlasticCase,Dwdr	+30
			2.985.000 T
DN-862-XA WARMLIGHT		RESOLUTION : 2mp AHD CHIPSET : FULLHAN LENS : 2.8 MM LED DISTANCE: 30M OTHER : 4in1,PlasticCase,Dwdr, Internal audio (coaxial)	+30
			3.265.000T
DN-865-XA-H WARMLIGHT		RESOLUTION : 5mp AHD CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 30M OTHER : 4in1,OSD MENU,PlasticCase,Dwdr, Internal audio (coaxial)	+30
			3.775.000 T

XVR-4604-I		PREVIEW : 4CH 5MP(IP 2MP) PLAYBACK : 4CH 5MP HARD : 1 HARD UP TO 6TB OUTPUT: HDMI,VGA OTHER : LOCAL SERVER, SMART PLAYBACK, (afroozsazan app), coaxial audio	+10
			12.890.000 T
XVR-4608-I		PREVIEW : 8CH 5MP(IP 2MP) PLAYBACK : 8CH 5MP HARD : 1 HARD UP TO 6TB OUTPUT: HDMI,VGA OTHER : LOCAL SERVER, SMART PLAYBACK, (afroozsazan app), coaxial audio	+10
			14.472.000 T
XVR-4616-I		PREVIEW : 16CH 5MP(IP 2MP) PLAYBACK : 8CH 5MP HARD : 2 HARD UP TO 6TB OUTPUT: HDMI,VGA OTHER : SMART PLAY BACK,P2P (afroozsazan app), coaxial audio	+5
			28.538.000 T

MODEL	STYLE	DISCRIPTION	PRICE
DN-957-XN-V WARMLIGHT		RESOLUTION : 5mp IP CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 30M OTHER : PLASTIC CASE, HUMAN DETECTION ,Electronic Fence, Cross Border Detection, internal audio	+30
			6.407.000 T
DN-957-JQ-VP WARMLIGHT POE		RESOLUTION : 5mp IP POE CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 30M OTHER : PLASTIC CASE, HUMAN DETECTION ,Electronic Fence, Cross Border Detection, internal audio	+30
			6.758.000 T
DN-945-HP4-AI WARMLIGHT		RESOLUTION : 5mp IP CHIPSET : FULLHAN LENS : 2.8MM LED DISTANCE: 30M OTHER : HUMAN DETECTION, H265+,30fps, Electronic Fence, Cross Border, Out-of Duty Area, People Counting, internal audio	+30
			8.617.000 T
DN-945-HPS-VX WARMLIGHT Starlight		RESOLUTION : 5mp IP SENSOR : SONY335 LENS : 3.6MM LED DISTANCE: 40M OTHER : HUMAN DETECTION, H265+,30fps, Electronic Fence, Cross Border, Out-of Duty Area, People Counting, internal audio	+30
			13.907.000 T


DN-945-DZ-MT-AI 		RESOLUTION : 5MP MOTORIZED SENSOR : SONY335 LENS : 2.7-13MM(YTOT) IR DISTANCE : 40M BIG CASE OTHERS : HUMAN DETECTION, H265+,30fps, Electronic Fence, Cross Border, Out-of Duty Area, People Counting, internal audio	+5 17.956.000 T
DN-948-DY15 		RESOLUTION : 8MP 30FPS SENSOR : SONY415 LENS : 3.6 MM LED DISTANCE : 40M OTHERS : 60FPS 2MP, METAL CASE,SMART.H265+, ELECTRONIC FENCE , CROSS BORDER ,OUT-OF DUTY AREA, PEOPLE COUNTING , WDR,Warmlight	+5 16.392.000 T
BN-9008SH-IM  		RESOLUTION : 2mp IP SENSOR : SONY307 LENS : 12MM LED DISTANCE: 60M BIG CASE OTHER : HUMAN DETECTION,IP66, internal audio	+12 12.366.000 T
BN-904-TK  		RESOLUTION : 4mp IP CHIPSET : FULHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : HUMAN DETECTION,IP66, internal audio	+25 6.614.000 T
BN-905KJ-V 		RESOLUTION : 5mp IP CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, Out-of Duty Area ,internal audio	+25 7.150.000 T


BN-905KJ-VP  		RESOLUTION : 5mp IP POE BOARD CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, Out-of Duty Area ,internal audio	+25
			7.483.000 T
BN-905-FK-AI  		RESOLUTION : 5mp IP CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, Out-of Duty Area ,internal audio	+25
			7.350.000 T
BN-905-FK-AIP   		RESOLUTION : 5mp IP POE BOARD CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, Out-of Duty Area ,internal audio	+25
			7.683.000 T
BN-905BJ-V 		RESOLUTION : 5mp IP CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 60M BIG CASE OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, Out-of Duty Area , internal audio	+12
			8.350.000 T
BN-905BJ-VP  		RESOLUTION : 5mp IP POE BOARD CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 60M BIG CASE OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, Out-of Duty Area , internal audio,	+12
			8.683.000 T

BN-902-BL-AI WARMLIGHT  دارای رله داخلی		RESOLUTION : 5mp IP CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 30M OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, internal audio , Out-of Duty Area, connect to burglar alarm	+25 8.460.000 T
BN-905-FG-AIP WARMLIGHT  POE		RESOLUTION : 5mp IP CHIPSET : FULHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, internal audio , Out-of Duty Area,	+25 8.992000 T
BN-905-RF4-AI WARMLIGHT 		RESOLUTION : 5mp IP CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 30M OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, internal audio , Out-of Duty Area, connect to burglar alarm	+25 8.996.000 T
BN-905-RF4-AIP WARMLIGHT  POE NEW! دارای رله داخلی		RESOLUTION : 5mp IP CHIPSET : FULHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, internal audio , Out-of Duty Area,	+25 9.558.000 T

BN-905-GH4-AI WARMLIGHT NEW!		RESOLUTION : 5mp IP CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 60M BIG CASE OTHER : IP66,METAL, HUMAN DETECTION,Electronic Fence, Cross Border Detection, internal audio , Out-of Duty Area, connect to burglar alarm	+12 9.919.000 T
BN-905-WJ-AI WARMLIGHT 		Resolution : 5mp IP CHIPSET : FULHAN Lens : 3.6MM LED Distance : 40m Others : Ip66, metal case,Face and Human detection,H265+, internal audio, Support humanoid and vehicle detection functions, Extended application: E-fence, crossing detection, departure detection, passenger flow statistics; Support comparison function, support 1000 face libraries, Support audio input and output, two-way intercom, audio and video synchronization, connect to burglar alarm	+12 14.591.000 T
BN-905-WT-SDA WARMLIGHT 		Resolution : 5mp IP CHIPSET : FULHAN Lens : 3.6MM LED Distance : 40m Others : Ip66, metal case,Face and Human detection,H265+, internal audio, MEMORY SUPPORT, Support humanoid and vehicle detection functions, Extended application: E-fence, crossing detection, departure detection, passenger flow statistics; Support comparison function, support 1000 face libraries, Support audio input and output, two-way intercom, audio and video synchronization, connect to burglar alarm	+12 14.909.000 T

BN-905-KS  		RESOLUTION : 5mp IP SENSOR : SONY335 LENS : 3.6MM LED DISTANCE: 40M OTHER : HUMAN DETECTION,IP66, H265+,30fps, internal audio	+25
			12.378.000 T
BN-905-FS-P   		RESOLUTION : 5mp IP SENSOR : SONY335 LENS : 3.6MM LED DISTANCE: 40M OTHER : HUMAN DETECTION,IP66, H265+,30fps, internal audio	+25
			12.878.000 T
BN-905-H5-AI  		RESOLUTION : 5mp IP SENSOR : SONY335 LENS : 3.6MM LED DISTANCE: 60M BIG CASE OTHER : HUMAN DETECTION,IP66, H265+,30fps, Electronic Fence, Cross Border, Out-of Duty Area, People Counting, internal audio	+12
			14.559.000 T
BN-905-H5-P   		RESOLUTION : 5mp IP SENSOR : SONY335 LENS : 3.6MM LED DISTANCE: 60M BIG CASE OTHER : HUMAN DETECTION,IP66, H265+,30fps, internal audio	+12
			14.076.000 T
BN-908-RFP   		RESOLUTION : 8mp IP POE BOARD CHIPSET : FULLHAN LENS : 3.6MM LED DISTANCE: 40M OTHER : HUMAN DETECTION, Electronic fence, Cross-border detection, Off-duty detection, Passenger flow statistics,IP66,H265,METAL CASE , INTERNAL AUDIO ,	+25
			13.930.000 T

BN-908-FS15  		RESOLUTION : 8mp IP SENSOR : SONY415 LENS : 3.6MM LED DISTANCE: 40M OTHER : HUMAN DETECTION, Electronic fence, Cross-border detection, Off-duty detection, IP66, H265, METAL CASE , INTERNAL AUDIO ,	+25
			15.780.000 T
BN-908-HP-AI  		RESOLUTION : 8mp IP SENSOR : SONY415 LENS : 3.6MM LED DISTANCE: 60M BIG CASE OTHER : HUMAN DETECTION, Electronic fence, Cross-border detection, Off-duty detection, IP66, H265, METAL CASE , INTERNAL AUDIO ,	+12
			17.100.000 T
BN-9005-BJ-TI  		Resolution : 5mp Chipset : Fullhan Lens : 12 mm LED Distance : 60m BIG CASE Others : Ip66, metal case, Human detection, H265+, internal audio, Warmlight, smart, local server, Electronic fence, Crossing border, People counting, Off-duy detection, Global car plate capture, License plate recognition	+12
			16.741.000 T
BN-9005-WBS-AI   NEW! پلاک خوان فارسی		Resolution : 5mp Chipset : Fullhan Lens : 12 mm LED Distance : 60m BIG CASE Others : Ip66, metal case, Human detection, H265+, internal audio, Warmlight, smart, local server, Electronic fence, Crossing border, People counting, Off-duy detection, Global car plate capture, License plate recognition	+5
			39.714.000 T

NVR-410-4K-Lite NEW!		PREVIEW : 10CH 4K PLAYBACK : 1CH 4K/2CH 5MP HARD : 1 HARD UP TO 6TB OUTPUT: HDMI,VGA OTHER : Motion detection , h264/h265,a AFROOZSAZAN APP , Human Detection, Vehicle Detection, Smart Alarm, Push Notification, Smart Search and Playback Based on Human or Vehicle Events, support speaker	+30
			9.909.000 T
NVR-410-4K		PREVIEW : 10CH 4K PLAYBACK : 1CH 4K/2CH 5MP HARD : 1 HARD UP TO 6TB OUTPUT: HDMI,VGA OTHER : Motion detection , h264/h265,a AFROOZSAZAN APP , Support passenger flow query,face capture and comparison function(need camera support), support speaker	+20
			14.019.000 T
NVR-416-4K-Lite NEW!		PREVIEW : 16CH 4K PLAYBACK : 1CH 4K/2CH 5MP HARD : 1 HARD UP TO 6TB OUTPUT: HDMI,VGA OTHER : Motion detection , h264/h265,a AFROOZSAZAN APP , Human Detection, Vehicle Detection, Smart Alarm, Push Notification, Smart Search and Playback Based on Human or Vehicle Events, support speaker	+30
			11.588.000 T
NVR-416-4K		PREVIEW : 16CH 4K PLAYBACK : 1CH 4K/2CH 5MP HARD : 1 HARD UP TO 6TB OUTPUT: HDMI,VGA OTHER : Motion detection , h264/h265,a AFROOZSAZAN APP , Support passenger flow query,face capture and comparison function(need camera support), support speaker	+20
			15.229.000 T

NVR-6816-4K		PREVIEW : 16CH 5MP / 8CH 8MP PLAYBACK : 4CH 2MP / 2CH 5MP HARD : 1 HARD UP TO 6TB OUTPUT: HDMI,VGA OTHER : LOCAL SERVER, (XVR VIEW),	+20
			9.998.000 T
NVR-416-4K-H2		PREVIEW : 16CH 4K PLAYBACK : 1CH 4K/2CH 5MP HARD : 2 HARD UP TO 6TB OUTPUT: HDMI,VGA OTHER : Motion detection , h264/h265,a AFROOZSAZAN APP, Support passenger flow query,face capture and comparison function(need camera support),support speaker	+5
			23.028.000 T
NVR-436-4K		PREVIEW : 36CH 4K PLAYBACK : 4CH 4K/4CH 5MP HARD : 2 HARD UP TO 8TB OUTPUT: HDMI,VGA OTHER : Motion detection , h264/h265,a AFROOZSAZAN APP, Support passenger flow query,face capture and comparison function(need camera support),support speaker	+5
			36.446.000 T
POEF ماژول			+50
			660.000 T
رله		تحریک زون دزدگیر تحریک آژیر و روشنایی باز کردن درب اتوماتیک	1.149.000 T